

# Lightning Fast and Space Efficient Inequality Joins

Zuhair Khayyat<sup>◇\*</sup> William Lucia<sup>§</sup> Meghna Singh<sup>§</sup> Mourad Ouzzani<sup>§</sup>  
Paolo Papotti<sup>§</sup> Jorge-Arnulfo Quiané-Ruiz<sup>§</sup> Nan Tang<sup>§</sup> Panos Kalnis<sup>◇</sup>

<sup>§</sup>Qatar Computing Research Institute

<sup>◇</sup>King Abdullah University of Science and Technology (KAUST)

{zuhair.khayyat, panos.kalnis}@kaust.edu.sa, williamlucia.wl@gmail.com  
{mesingh, mouzzani, ppapotti, jqianeruiz, ntang}@qf.org.qa

## ABSTRACT

Inequality joins, which join relational tables on inequality conditions, are used in various applications. While there have been a wide range of optimization methods for joins in database systems, from algorithms such as sort-merge join and band join, to various indices such as  $B^+$ -tree,  $R^*$ -tree and Bitmap, inequality joins have received little attention and queries containing such joins are usually very slow. In this paper, we introduce fast inequality join algorithms. We put columns to be joined in sorted arrays and we use permutation arrays to encode positions of tuples in one sorted array *w.r.t.* the other sorted array. In contrast to sort-merge join, we use space efficient bit-arrays that enable optimizations, such as Bloom filter indices, for fast computation of the join results. We implemented a centralized version of these algorithms on top of PostgreSQL, and a distributed version on top of Spark SQL. We compare against well known optimization techniques for inequality joins and show that our solution is more scalable and several orders of magnitude faster.

## 1. ONCE UPON A TIME ...

Bob<sup>1</sup>, a data analyst working for an international provider of cloud services, wanted to analyze revenue and utilization trends from different regions. In particular, he wanted to find out all those transactions from the West-Coast that last longer and produce smaller revenues than any transaction in the East-Coast. In other words, he was looking for any customer from the West-Coast who rented a virtual machine for more hours than any customer from the East-Coast, but who paid less. Figure 1 illustrates a data instance for both tables. He wrote the following join query for such a task:

```
Qt : SELECT east.id, west.t_id
      FROM east, west
      WHERE east.dur < west.time AND east.rev > west.cost;
```

<sup>\*</sup>Partially done while doing an internship at QCRI.

<sup>1</sup>We motivate the problem with a real-life story. Names and queries have been changed to protect confidentiality.

| east           | id  | dur | rev | cores | west           | t_id | time | cost | cores |
|----------------|-----|-----|-----|-------|----------------|------|------|------|-------|
| r <sub>1</sub> | 100 | 140 | 12  | 2     | s <sub>1</sub> | 404  | 100  | 6    | 4     |
| r <sub>2</sub> | 101 | 100 | 12  | 8     | s <sub>2</sub> | 498  | 140  | 11   | 2     |
| r <sub>3</sub> | 102 | 90  | 5   | 4     | s <sub>3</sub> | 676  | 80   | 10   | 1     |
|                |     |     |     |       | s <sub>4</sub> | 742  | 90   | 5    | 4     |

Figure 1: East-Coast and West-Coast transactions

Bob first ran  $Q_t$  over 200K transactions on the distributed system storing the data (System-X). Given that the input dataset is  $\sim 1$ GB, he expected to have his answer in a minute or so. However, he waited for more than three hours without seeing any result. He immediately thought that this problem comes from System-X and killed the query. He then used open-source DBMS-X to run his query. Although join is by far the most important and most studied operator in the relational algebra [1], Bob had to wait for over two hours until DBMS-X returned the results. He found that  $Q_t$  is processed by DBMS-X as a *Cartesian product* followed by a *selection* predicate, which is problematic due to the huge number of unnecessary intermediate results.

In the meantime, Bob heard that a big DBMS vendor was in town to highlight the power of their recently released distributed DBMS to process big data (DBMS-Y). So he visited them with a small (few KBs) dataset sample of the tables to run  $Q_t$ . Surprisingly, DBMS-Y could not run  $Q_t$  for even that small sample! He spent 45 minutes waiting while one of the DBMS-Y experts was trying to solve the issue. Bob left the query running and the vendor never contacted him again. In fact, DBMS-Y is using underneath the same open-source DBMS-X that Bob tried before. He thus understood that a simple distribution of the process does not solve his problem. Afterwards, Bob decided to call one of his friends working for a very famous DBMS vendor. His friend kindly accepted to try  $Q_t$  on their DBMS-Z, which is well reputed to deal with terabytes of data. A couple of days later, his friend came back to him with several possible ways (physical plans) to run  $Q_t$  on DBMS-Z. Nonetheless, all these query plans still had the quadratic complexity of a Cartesian product with its inherent inefficiency.

Despite the prevalence of this kind of queries in applications, such as temporal and spatial databases, and data cleaning, no off-the-shelf efficient solutions exist. There have been countless techniques to optimize the different flavors of joins in various settings [13]. In the general case of a theta join, one may assume that one of the relations is small enough to fit in memory; a nested loop join with the small relation stored in memory would deliver acceptable performance. However, such assumption may not hold

when joining two big relations. Queries could also contain selection predicates or an equi-join with a high selectivity, which would reduce the size of the relations to be fed to the inequality join. However, this is not necessarily true with low-selectivity predicates, such as gender or region, where the obtained relations are still very large. Furthermore, similar to  $Q_t$ , there is a large spectrum of applications where the above two assumptions do not necessarily hold. Such applications require to join large relations using inequalities only, such as in temporal and spatial databases, and data cleaning applications. For example, in *data analysis* in a temporal database, one may want to find all employees and managers that overlapped while working in a certain company [12]. In data cleaning, when *detecting violations* based on denial constraints, one may want to find all pairs of tuples such that one individual (represented in the tuple) pays more taxes but earns less than another individual [7].

Bob then started looking at different alternatives. Common ways of optimizing such queries include sort-merge joins [9] and interval-based indexing [6, 11, 16]. Sort merge join reduces the search space by sorting the data based on the joining attributes and merging them. However, it still has a quadratic complexity for queries with inequality join conditions only. Interval-based indexing reduces the search space of such queries even further by using bitmap interval indexing [6]. However, such indices require large memory space [21] and long index building time. Moreover, Bob would have to create multiple indices to cover all those attributes referenced in his query workload. One may build such indices at query time, but their long construction time renders such an approach impractical.

With no hope in the horizon, Bob decided to talk with his friends who happen to do research in data analytics. They happily started working on this interesting problem. After several months of hard work, they came out with IEJOIN, a new algorithm that utilizes bit-arrays and positional permutation arrays to achieve fast inequality joins. Given the inherent quadratic complexity of inequality joins, IEJOIN follows the *RAM locality is King* principle coined by Jim Gray. The use of memory-contiguous data structures with small footprint results in orders of magnitude performance improvement over the prior art. The basic idea of our proposal is to create a sorted array for each inequality comparison and compute their intersection, which would output the join results. The prohibitive cost of the intersection operation is alleviated through the use of a permutation array to encode positions of tuples in one sorted array *w.r.t.* the other sorted array (assuming that there are only two conditions). A bit-array is then used to emit the join results.

**Contributions.** We claim the following contributions:

- (1) We present novel, fast and space efficient inequality join algorithms (Sections 2 and 3).
- (2) We discuss two optimization techniques to significantly speed up the computation (Section 4). Specifically, we exploit Bloom filters to reduce the search space, and reorganize data to improve data locality.
- (3) We describe how to implement the proposed algorithms in distributed data processing systems, such as Spark SQL [2] to handle very large datasets (Section 5). In particular, we use attribute metadata (*e.g.*, min and max values) to greatly reduce data shuffling.

(4) We implemented our algorithms on both PostgreSQL and Spark SQL (Section 6). We conducted an extensive experimental study by comparing against well known optimization techniques. The results show that our proposed solution is more general, scalable, and orders of magnitude faster than known prior art (Section 7).

Related work is discussed in Section 8, followed by conclusions in Section 9.

## 2. OVERVIEW

In this section we restrict our discussions to queries with inequality predicates only. Each predicate is of the form:  $A_i \text{ op } B_i$ . Here,  $A_i$  (resp.,  $B_i$ ) is an attribute in relation  $R$  (resp.,  $S$ ), and  $\text{op}$  is an inequality operator in  $\{<, >, \leq, \geq\}$ . In the following, we motivate our work and give the intuition of how our algorithms work by using self-join queries.

*Example 1: (Single predicate)* Consider the west table in Figure 1 and an inequality self-join query  $Q_s$  as follows:

```
Qs : SELECT s1.t.id, s2.t.id
      FROM west s1, west s2
      WHERE s1.time > s2.time;
```

Query  $Q_s$  returns a set of pairs  $\{(s_i, s_j)\}$  where  $s_i$  takes more time than  $s_j$ ; the result is  $\{(s_2, s_1), (s_2, s_3), (s_2, s_4), (s_1, s_3), (s_1, s_4), (s_4, s_3)\}$ .  $\square$

A natural idea to handle an inequality join on one attribute is to leverage a sorted array. For instance, we sort  $\text{west}$ 's tuples on time in ascending order into an array  $L_1: \langle s_3, s_4, s_1, s_2 \rangle$ . We denote by  $L[i]$  the  $i$ -th element in array  $L$ , and  $L[i, j]$  its sub-array from position  $i$  to position  $j$ . Given a tuple  $s$ , any tuple at  $L_1[k]$  ( $k \in [1, i - 1]$ ) has a time value that is less than  $L_1[i]$ , the position of  $s$  in  $L_1$ . Considering Example 1, tuple  $s_1$  in position  $L_1[3]$  joins with tuples in positions  $L_1[1, 2]$ , namely  $s_3$  and  $s_4$ .


*Example 2: (Two predicates)* Let us now consider a more challenging case of a self-join with two inequality conditions:

```
Qp : SELECT s1.t.id, s2.t.id
      FROM west s1, west s2
      WHERE s1.time > s2.time AND s1.cost < s2.cost;
```

$Q_p$  returns pairs  $(s_i, s_j)$  where  $s_i$  takes more time but pays less than  $s_j$ ; the result is  $\{(s_1, s_3), (s_4, s_3)\}$ .  $\square$

Similarly to attribute time in Example 1, one can additionally sort attribute cost in ascending order into an array  $L_2: \langle s_4, s_1, s_3, s_2 \rangle$ . Thus, given a tuple  $s$ , any tuple  $L_2[l]$  ( $l \in [j + 1, n]$ ), where  $n$  is the size of the input relation, has higher cost than the one in  $s$ , where  $j$  is the position of  $s$  in  $L_2$ . Our observation here is as follows. For any tuple  $s'$ , to form a join result  $(s, s')$  with tuple  $s$ , the following two conditions must be satisfied: (i)  $s'$  is on the left of  $s$  in  $L_1$ , *i.e.*,  $s$  has higher value for time than  $s'$ , and (ii)  $s'$  is on the right of  $s$  in  $L_2$ , *i.e.*,  $s$  has a lower value for cost than  $s'$ . Thus, all tuples in the intersection of  $L_1[1, i - 1]$  and  $L_2[j + 1, n]$  satisfy these two conditions and belongs to the join result. For example,  $s_4$ 's position in  $L_1$  (resp.  $L_2$ ) is 2 (resp. 1). Hence,  $L_1[1, 2 - 1] = \langle s_3 \rangle$  and  $L_2[1 + 1, 4] = \langle s_1, s_3, s_2 \rangle$ , and their intersection is  $\{s_3\}$ , producing  $(s_4, s_3)$ . To get the final result, we simply need to repeat the above process for each tuple.

The challenge is how to perform the aforementioned intersection operation in an efficient manner. There already exist several indices, such as  $R$ -trees and  $B^+$ -trees, that can



**Figure 2: IEJoin process for query  $Q_p$**

possibly help.  $R$ -tree is ideal for supporting two or higher dimensional range queries. However, the main shortcoming of using  $R$ -trees for inequality joins is that it is unclustered; we cannot avoid random I/O access when retrieving join results.  $B^+$ -tree is a clustered index. The bright side is that for each tuple, only sequential disk scan is required to retrieve relevant tuples. However, the dark side is that we need to repeat this  $n$  times, where  $n$  is the number of tuples, which is prohibitively expensive. When confronted with such problems, one common practice is to use space-efficient and CPU-friendly indices; in this paper, we use a bit-array.

In a nutshell, IEJOIN sorts relation west on attributes **time** and **cost**, creates a permutation array for attribute **cost** *w.r.t.* attribute **time**, and leverages a bit-array to emit join results. We will briefly present the algorithm below, and defer a detailed discussion to Section 3. Figure 2 depicts the process.

(1) *Initialization*. Sort both **time** and **cost** values in ascending order, as depicted by  $L_1$  and  $L_2$ , respectively. While sorting, compute a permutation (reordering) array of elements of  $L_2$  in  $L_1$ , as shown by  $P$ . For example, the first element of  $L_2$  (*i.e.*,  $s_4$ ) corresponds to position 2 in  $L_1$ . Hence,  $P[1] = 2$ . Initialize a bit-array  $B$  with length  $n$  and set all bits to 0, as shown by  $B$  with array indices above the rectangles and corresponding tuples below the rectangles.

(2) *Visit tuples in the order of  $L_2$* . Scan the permutation array  $P$  and operate on the bit-array as shown below.

(a) *Visit  $P[1]$* . First visit tuple  $s_4$  (1st element in  $L_2$ ) and check in  $P$  what is the position of  $s_4$  in  $L_1$  (*i.e.*, position 2). Then go to  $B[2]$  and scan all bits in higher positions than 2. As all  $B[i] = 0$  for  $i > 2$ , there is no tuple that satisfies the join condition of  $Q_p$  *w.r.t.*  $s_4$ . Finish this visit by setting  $B[2] = 1$ , which indicates that tuple  $s_4$  has been visited.

(b) *Visit  $P[2]$* . This corresponds to tuple  $s_1$ . It processes  $s_1$  in a similar manner as  $s_4$ , without outputting any result.

(c) *Visit  $P[3]$* . This visit corresponds to tuple  $s_3$ . Each non-zero bit on the right of  $s_3$  (highlighted by grey cells) corresponds to a join result, because each marked cell corresponds to a tuple that pays less cost (*i.e.*, being visited first)

but takes more time (*i.e.*, on the right side of its position). It thus outputs  $(s_4, s_3)$  and  $(s_1, s_3)$ .

(d) *Visit  $P[4]$* . This visit corresponds to tuple  $s_2$ . The process is similar to the above steps with an empty join result.

The final result of  $Q_p$  is the union of all the intermediate results from the above steps, *i.e.*,  $\{(s_4, s_3), (s_1, s_3)\}$ .

There are few observations that make our solution appealing. First, there are many efficient techniques for sorting large arrays, *e.g.*, GPU TeraSort [14]. In addition, after getting the permutation array, we only need to sequentially scan it once. Hence, we can store the permutation array on disk, instead of memory. Only the bit-array is required to stay in memory, to avoid random disk I/Os. Thus, to execute queries  $Q_s$  and  $Q_p$  on 1 billion tuples, we only need 1 billion bits (*i.e.*, 125 MB) of memory space.

### 3. CENTRALIZED ALGORITHMS

We now detail our novel inequality join algorithms based on sorting, permutation arrays, and bit-arrays. We will first discuss the case with two relations and only with operators in  $\{<, >, \leq, \geq\}$ , and then describe its extension to support multiple join conditions in Section 3.1. The special case of self-joins is presented in Section 3.2.

#### 3.1 IEJoin

**Algorithm.** IEJOIN, is shown in Algorithm 1. It takes a query  $Q$  with two inequality join conditions as input and returns a set of result pairs. It first sorts the attribute values to be joined (lines 3-6), computes the permutation array (lines 7-8) and two offset arrays (lines 9-10). Each element of an offset records the relative position from  $L_1$  (resp.  $L_2$ ) in  $L'_1$  (resp.  $L'_2$ ). The algorithm also sets up the bit-array (line 11) as well as the result set (line 12). In addition, it sets an offset variable to distinguish between the inequality operators with or without equality conditions (lines 13-14). It then visits the values in  $L_2$  in the desired order, which is to sequentially scan the permutation array from left to right (lines 15-22). For each tuple visited in  $L_2$ , it first sets all bits for those  $t$  in  $T'$  whose  $Y'$  values are smaller than the  $Y$  value of the current tuple in  $T$  (lines 16-18), *i.e.*, those tuples in  $T'$  that satisfy the second join condition. It then uses the other offset array to find those tuples in  $T'$  that also satisfy the first join condition (lines 19-22). It finally returns all join results (line 23). Let us illustrate this algorithm with the following example.

*Example 3:* Figure 3 shows how Algorithm 1 works for  $Q_t$  (from Section 1). It first does the initialization (step (1) in the figure). For example, when visiting the first item in  $L_2$  ( $r_3$ ) in step (2)(a), it first finds its relative position in  $L'_2$  at step (2)(a)(i). Then it visits all tuples in  $L'_2$  whose **cost** values are no larger than  $r_3[\text{rev}]$  at step (2)(a)(ii). Afterwards, it uses the relative position of  $r_3[\text{dur}]$  at  $L'_1$  (step (2)(a)(iii)) to populate all join results (step (2)(a)(iv)). The same process sequentially applies to  $r_1$  (step (2)(b)) and  $r_2$  (step (2)(c)), and the only result is returned at step (2)(c)(v).  $\square$

**Correctness.** It is easy to check that the algorithm will terminate and that each result in `join_result` satisfies the join condition. For *completeness*, observe the following. For any tuple pair  $(r_i, s_j)$  that should be a result,  $s_j$  will be visited first and its corresponding bit is set to 1 (lines 17-18).

---

**Algorithm 1: IEJOIN**

---

**input** : query  $Q$  with 2 join predicates  $t_1.X \text{ op}_1 t_2.X'$  and  $t_1.Y \text{ op}_2 t_2.Y'$ , tables  $T, T'$  of sizes  $m$  and  $n$  resp.  
**output**: a list of tuple pairs  $(t_i, t_j)$

- 1 let  $L_1$  (resp.  $L_2$ ) be the array of  $X$  (resp.  $Y$ ) in  $T$
- 2 let  $L'_1$  (resp.  $L'_2$ ) be the array of  $X'$  (resp.  $Y'$ ) in  $T'$
- 3 **if**  $(\text{op}_1 \in \{>, \leq\})$  sort  $L_1, L'_1$  in descending order
- 4 **else if**  $(\text{op}_1 \in \{<, \geq\})$  sort  $L_1, L'_1$  in ascending order
- 5 **if**  $(\text{op}_2 \in \{>, \leq\})$  sort  $L_2, L'_2$  in ascending order
- 6 **else if**  $(\text{op}_2 \in \{<, \geq\})$  sort  $L_2, L'_2$  in descending order
- 7 compute the permutation array  $P$  of  $L_2$  w.r.t.  $L_1$
- 8 compute the permutation array  $P'$  of  $L'_2$  w.r.t.  $L'_1$
- 9 compute the offset array  $O_1$  of  $L_1$  w.r.t.  $L'_1$
- 10 compute the offset array  $O_2$  of  $L_2$  w.r.t.  $L'_2$
- 11 initialize bit-array  $B'$  ( $|B'| = n$ ), and set all bits to 0
- 12 initialize `join_result` as an empty list for tuple pairs
- 13 **if**  $(\text{op}_1 \in \{\leq, \geq\})$  and  $\text{op}_2 \in \{\leq, \geq\})$  `eqOff` = 0
- 14 **else** `eqOff` = 1
- 15 **for**  $(i \leftarrow 1$  to  $m)$  **do**
- 16     `off2`  $\leftarrow O_2[i]$
- 17     **for**  $j \leftarrow O_2[i-1]$  to  $O_2[i]$  **do**
- 18          $B'[P'[j]] \leftarrow 1$
- 19     `off1`  $\leftarrow O_1[P[i]]$
- 20     **for**  $(k \leftarrow \text{off}_1 + \text{eqOff}$  to  $n)$  **do**
- 21         **if**  $B'[j] = 1$  **then**
- 22              $\text{add tuples w.r.t. } (L_2[i], L'_2[k])$  to `join_result`
- 23 **return** `join_result`

---

Afterwards,  $r_i$  will be visited and the result  $(r_i, s_j)$  will be identified (lines 20-22) by the algorithm.

**Complexity.** Sorting arrays and computing their permutation array is in  $O(m \cdot \log m + n \cdot \log n)$  time, where  $m$  and  $n$  are the sizes of the two input relations (lines 3-8). Computing the offset arrays will take linear time using sort-merge (lines 9-10). The outer loop will take  $O(m \cdot n)$  time (lines 15-22). Hence, the total time complexity of the algorithm is  $O(m \cdot \log m + n \cdot \log n + m \cdot n)$ . It is straightforward to see that the total space complexity is  $O(m + n)$ .

**Multiple join conditions.** For more than two join predicates on a single inequality join, we simply pick two inequality predicates and apply IEJOIN. We then filter the materialized results and evaluate the remaining predicates. This approach has very low memory footprint and it is a standard solution in relational databases. A query optimizer will have to decide which predicate to process first based on the selectivity of different predicates. In Section 6, we explain how we integrate IEJOIN into existing query optimizers.

### 3.2 IESelfJoin

In this section, we present the algorithm for self-join queries with two inequality operators. While IEJOIN can be used, IESELFJOIN is more efficient for self-joins since it uses 2 sorted arrays instead of 4.

**Algorithm.** IESELFJOIN (Algorithm 2) takes a self-join inequality query  $Q$  as input, and returns a set of result pairs.

The algorithm first sorts the two lists of attributes to be joined (lines 2-5), computes the permutation array (line 6), and sets up the bit-array (line 7) as well as the result set (line 8). It also sets an offset variable to distinguish inequality operators with or without equality (lines 9-10). It then visits the values in  $L_2$  in the desired order, which is to sequentially scan the permutation array from left to right

---

**Algorithm 2: IESELFJOIN**

---

**input** : query  $Q$  with 2 join predicates  $t_1.X \text{ op}_1 t_2.X$  and  $t_1.Y \text{ op}_2 t_2.Y$ , table  $T$  of size  $n$   
**output**: a list of tuple pairs  $(t_i, t_j)$

- 1 let  $L_1$  (resp.  $L_2$ ) be the array of column  $X$  (resp.  $Y$ )
- 2 **if**  $(\text{op}_1 \in \{>, \leq\})$  sort  $L_1$  in descending order
- 3 **else if**  $(\text{op}_1 \in \{<, \geq\})$  sort  $L_1$  in ascending order
- 4 **if**  $(\text{op}_2 \in \{>, \leq\})$  sort  $L_2$  in ascending order
- 5 **else if**  $(\text{op}_2 \in \{<, \geq\})$  sort  $L_2$  in descending order
- 6 compute the permutation array  $P$  of  $L_2$  w.r.t.  $L_1$
- 7 initialize bit-array  $B$  ( $|B| = n$ ), and set all bits to 0
- 8 initialize `join_result` as an empty list for tuple pairs
- 9 **if**  $(\text{op}_1 \in \{\leq, \geq\})$  and  $\text{op}_2 \in \{\leq, \geq\})$  `eqOff` = 0
- 10 **else** `eqOff` = 1
- 11 **for**  $(i \leftarrow 1$  to  $n)$  **do**
- 12     `pos`  $\leftarrow P[i]$
- 13     **for**  $(j \leftarrow \text{pos} + \text{eqOff}$  to  $n)$  **do**
- 14         **if**  $B[j] = 1$  **then**
- 15              $\text{add tuples w.r.t. } (L_1[j], L_1[i])$  to `join_result`
- 16      $B[\text{pos}] \leftarrow 1$
- 17 **return** `join_result`

---

(lines 11-16). For each tuple visited in  $L_2$ , it needs to find all tuples whose  $X$  values satisfy the join condition. This is performed by first locating its corresponding position in  $L_1$  via looking up the permutation array (line 12). Since the bit-array and  $L_1$  have a one-to-one positional correspondence, the tuples on the right of `pos` will satisfy the join condition on  $X$  (lines 13-15), and these tuples will also satisfy the join condition on  $Y$  if they have been visited before (line 14). Such tuples will be joined with currently visited tuple as results (line 15). Afterwards, the visited tuple will also be marked (line 16). It finally returns all join results (line 17).

Note that the different sorting orders, *i.e.*, ascending or descending for attribute  $X$  and  $Y$  in lines 2-5, are chosen to satisfy various inequality operators. One may observe that if the database contains duplicated values, when sorting one attribute  $X$ , its corresponding value in attribute  $Y$  should be considered, and vice versa, in order to preserve both orders for correct join result. Hence, in IESELFJOIN, when sorting  $X$ , we use an algorithm that also takes  $Y$  as secondary key. Specifically, when some  $X$  values are equal, their sorting orders are decided by their  $Y$  values (lines 2-3), similarly for the other way around (lines 4-5). Please refer to the example in Section 2 for query  $Q_p$  using IESELFJOIN.

**Correctness.** It is easy to check that the algorithm will terminate and that each result in `join_result` satisfies the join condition. For *completeness*, observe the following. For any tuple pair  $(t_1, t_2)$  that should be in the result,  $t_2$  is visited first and its corresponding bit is set to 1 (line 16). Afterwards,  $t_1$  is visited and the result  $(t_1, t_2)$  is identified (lines 14-15) by IESELFJOIN.

**Complexity.** Sorting two arrays and computing their permutation array is in  $O(n \cdot \log n)$  time (lines 2-8). Scanning the permutation array and scanning the bit-array for each visited tuple run in  $O(n^2)$  time (lines 11-16). Hence, in total, the time complexity of IESELFJOIN is  $O(n^2)$ . It is easy to see that the space complexity of IESELFJOIN is  $O(n)$ .

## 4. OPTIMIZATION

We discuss two optimization techniques for our inequality join algorithms. The first one is to use indices to improve




Figure 3: IEJoin process for query  $Q_t$




Figure 4: Example of using a Bloom filter

the lookup performance for the bit-array (Section 4.1). The second one is to union arrays, so as to improve data locality and reduce the data to be loaded into the cache (Section 4.2).

#### 4.1 Bloom Filter to Improve Bit-array Scan

An analysis on both IEJOIN and IESELFJOIN shows that, for each value being visited (*i.e.*, lines 20-22 in Algorithm 1 and lines 13-15 in Algorithm 2), we need to scan all the bits on the right of the current position. When the query selectivity is high, this is unavoidable for producing the correct results. However, when the query selectivity is low, iteratively scanning a long sequence of 0's will be a performance bottleneck. We thus adopt a Bloom filter to guide which part of the bit-array should be visited.

Given a bit-array  $B$  with size  $n$  and a predefined chunk size  $c$ , our *Bloom filter* is a bit-array with size  $\lceil n/c \rceil$  where each bit corresponds to a chunk in  $B$ , with 1 indicating that the chunk contains at least a 1 and 0 otherwise.

*Example 4:* Consider the bit-array  $B$  in Figure 4. Assume that the chunk size  $c = 4$ . The bit-array  $B$  will be partitioned into four chunks  $C_1$ - $C_4$ . Its Bloom filter is shown above  $B$  in the figure and consists of 4 bits. We consider two cases. Case (i): visit  $B[6]$ , in which case we need to find all the 1's in  $B[i]$  for  $i > 6$ . The Bloom filter tells that only chunk 2 needs to be checked, and it is safe to ignore chunks 3 and 4. Case (ii): visit  $B[9]$ , the Bloom filter can tell that there is no need to scan  $B$ , since there cannot be any  $B[j]$  where  $B[j] = 1$  and  $j > 9$ .  $\square$

#### 4.2 Union Arrays on Join Attributes

In testing Algorithm 1, we found that there are many cache loads and stores. A deeper analysis of the algorithm shows that the extra cache loads and stores may be caused by cache misses when sequentially visiting different arrays. Take Figure 3 for example. In Step (2)(a), we visited arrays  $L_2$ ,  $O_2$ ,  $P'$ ,  $P$  and  $O_1$  in sequence, with each causing at least one cache miss. Step (2)(b) and Step (2)(c) show a similar behavior. An intuitive solution is to merge the arrays on join attributes and sort them together. Again, consider Figure 3. We can merge  $L_1$  and  $L'_1$  into one array and sort them. Similarly, we can merge  $L_2$  and  $L'_2$ , and  $P$  and  $P'$ . Also,  $O_1$  and  $O_2$  are not needed in this case, and  $B'$  needs to be extended to be aligned with the merged arrays. This solution is quite similar to IESELFJOIN discussed in Section 3.2. However, we need to prune join results for tuples that come from the same table. This can be easily done using a Boolean flag for each position, where 0 (*resp.*, 1) denotes that the corresponding value is from the first (*resp.* the second) table. Our experiments (Section 7.2) show that the simple union operation can significantly reduce the number of cache misses, and thus improve the total execution time.

### 5. DISTRIBUTED INEQUALITY JOINS

We design a distributed version of the IEJOIN along the same lines of state-of-the-art general purpose distributed data processing systems, such as Hadoop's MapReduce [8] and Spark [22]. Our goal is twofold: (i) scale our algorithm to very large input relations that do not fit into the main memory of a single machine and (ii) improve efficiency even further. We assume that work scheduling and data block assignment are handled by any general purpose resource manager, such as YARN (<http://hadoop.apache.org/docs/current/hadoop-yarn/hadoop-yarn-site/YARN.html>) and Mesos (<http://mesos.apache.org>).

The simplest approach for running IEJOIN in a distributed setting is to: (i) construct  $k$  data blocks of each input rela-

---

**Algorithm 3:** Distributed IEJoin

---

```
input  : Query q, Table  $t_{in1}$ , Table  $t_{in2}$ 
output: Table  $t_{out}$ 
1 //Pre-processing
2 DistT1  $\leftarrow$  read  $t_{in1}$  in distributed blocks
3 DistT2  $\leftarrow$  read  $t_{in2}$  in distributed blocks
4 foreach row  $r \in DistT1$  and  $DistT2$  do
5    $\lfloor$   $r \leftarrow$  global unique ID
6 DistT1  $\leftarrow$  sort and equally partition DistT1 rows
7 DistT2  $\leftarrow$  sort and equally partition DistT2 rows
8 forall the block  $b_i \in DistT1$  do
9    $D1_i \leftarrow$  pivot and reference values in  $b_i$ 
10   $MT1_i \leftarrow$  min and max values in pivot and
11   reference lists of  $D1_i$ 
12 forall the block  $b_j \in DistT2$  do
13    $D2_j \leftarrow$  pivot and reference values in  $b_j$ 
14    $MT2_j \leftarrow$  min and max values in pivot and
15   reference lists of  $D2_j$ 
16 Virt  $\leftarrow$  all block combinations of MT1 and MT2
17 forall the  $(MT1_i, MT2_j)$  pairs  $\in Virt_{ij}$  do
18   if  $MT1_i \cap MT2_j$  then
19      $\lfloor$   $MData_{ij} \leftarrow$  blocks from  $D1_i$  and  $D2_j$ 
20 //IEJoin function
21 forall the block pairs  $(D1_i, D2_j) \in MData_{ij}$  do
22    $\lfloor$   $RowIDResult_{ij} \leftarrow$  IEJoin( $q, D1_i, D2_j$ )
23 //Post-processing
24 forall the rowID pairs  $(i, j) \in RowIDResult_{ij}$  do
25    $row_i \leftarrow$  row id  $i$  in DistT1
26    $row_j \leftarrow$  row id  $j$  in DistT2
27    $t_{out} \leftarrow$  merge( $row_i, row_j$ )
```

---

tion; (ii) apply Cartesian product (or self-Cartesian product for a single relation input) on the data blocks; and (iii) run IEJOIN (either on a single table or two tables input) on the  $k^2$  data block pairs. However, this would generate large amount of network traffic and some data block pairs may not necessarily generate results. A naive work-around would be to reduce the number of blocks for each relation to maximize the usability of each data block. However, very large data blocks introduce work imbalance and require larger memory space for each worker.

We solve the above distribution challenges by introducing efficient *pre-processing* and *post-processing* phases. These two phases allow us to reduce communication overhead and memory footprint for each node, without modifying the data block size. The pre-processing phase generates space-efficient data blocks for the input relation(s); predicts which pair of data blocks may report query results; and copies and transfers through the network only useful pairs of data blocks. IEJOIN, in the distributed version, returns the join results as a pair of rowIDs instead of returning the actual rows. It is the responsibility of the post-processing phase to materialize the final results by resolving the rowIDs into actual relation rows. We use the internal rowIDs of Spark SQL to uniquely identify different rows since the input relations may not have a unique row identifier. We summarize in Algorithm 3 the implementation of the distributed algorithm when processing two input tables. We omit the discussion about single relation input for triviality reasons. The distributed join process is composed of three main phases (the pre-processing, IEJOIN, and post-processing phases), which are described below.

**Distributed pre-processing.** After assigning unique rowIDs to each input row (lines 2-5), the pre-processing step globally sorts each relation and partitions each sorted relation to  $k$  equal partitions, where the number of partitions depends on the relation size and default block size (lines 6-7). For example, if the default block size is  $b$  and the relation input size is  $M$ , the number of partitions is  $\lceil \frac{M}{b} \rceil$ . Note that the global sorting maximizes data locality within the partitions, which in turn increases the overall runtime efficiency. This is because global sorting partially answers one of the inequality join conditions, where it physically moves tuples closer toward their candidate pairs. In other words, global sorting increases the efficiency of block pairs that generate results, while block pairs that do not produce results can be filtered out before actually processing them. After that, for each sorted partition, we generate a single data block that stores only the attribute values referenced in the join conditions in a list. These data blocks  $D1$  and  $D2$  do not store the actual relation rows in order to reduce the network overhead and reduce its memory footprint. This follows the semi-join principle. We also extract metadata that contain the block ID, and the min/max values of each referenced attribute value from each data block (lines 8-15). Then, we create  $k_{MT1} \times k_{MT2}$  virtual block combinations and filter out block combinations that do not generate results (lines 16-19). Notice that blocks with non-intersecting min-max values do not produce results.

**Distributed IEJoin.** After pre-processing, we obtain a list of overlapping block pairs. We simply run IEJOIN (either for a single or two relations) for each of these pair blocks in parallel. Specifically, we merge-sort the attribute values in  $D1$  and  $D2$  and run IEJOIN over the merged block. The permutation and bit arrays generation are similar to the centralized version. However, the distributed IEJOIN does not have access to the actual relation rows. Therefore, each parallel IEJOIN instance outputs a pair of rowIDs that represents the joined rows (lines 21-22).

**Distributed post-processing.** In the final step, we materialize the result pairs by matching each rowID-pair, from the output of the distributed IEJOIN, with the rowIDs of  $DistT1$  and  $DistT2$  (lines 24-27). We run this post-processing phase in parallel, as a distributed hash join based on the rowIDs, to speed up the materialization of the final join results.

## 6. IMPLEMENTATION DETAILS

We now describe the integration of our algorithms into PostgreSQL (Section 6.1) and Spark SQL (Section 6.2).

### 6.1 PostgreSQL

PostgreSQL processes a query in three stages: *parsing*, *planning*, and *execution*. Parsing extracts relations and predicates and creates query parse trees. Planning creates query plans and invokes the query optimizer to select a plan with the smallest estimated cost. Execution runs the selected plan and emits the output. We implemented IEJOIN in all three stages with 850 lines of code.

**Parsing and Planning.** PostgreSQL uses merge and hash join operators for equijoins and naive nested loop for inequality joins. PostgreSQL looks for the most suitable join operator for each join predicate. We extend this check to verify if it is IEJOIN-able by checking if a predicate contains

| Sort1 | idx | time | cost | pos | Sort2 | idx | time | cost | pos |
|-------|-----|------|------|-----|-------|-----|------|------|-----|
| $s_1$ | 3   | 80   | 10   | 1   | $s_1$ | 4   | 90   | 5    | 2   |
| $s_2$ | 4   | 90   | 5    | 2   | $s_2$ | 1   | 100  | 6    | 3   |
| $s_3$ | 1   | 100  | 6    | 3   | $s_3$ | 3   | 80   | 10   | 1   |
| $s_4$ | 2   | 140  | 11   | 4   | $s_4$ | 2   | 140  | 11   | 4   |

Figure 5: Permutation array creation for self-join  $Q_p$

a scalar inequality operator. If so, we save the operator’s oid in the data structure associated with the predicate. For each operator and ordered pair of relations, the list of predicates that the operator can handle is created. For example, two equality predicates over the same pair of relations are associated to one hash join operator.

Next, the Planner estimates the execution cost for possible join plans. Every node in the plan has a base cost, which is the cost of executing the previous nodes, plus the cost for the actual node. Using existing PostgreSQL methods, we added a cost function for our operator; it is evaluated as the sum of the cost for sorting inner and outer relations, CPU cost for evaluating all output tuples (approximated based on the IEJOIN-predicates), and the cost of evaluating additional predicates for each tuple (*i.e.*, the ones that are not involved in the actual join). Next, PostgreSQL selects the plan with the lowest cost.

**Execution.** At the executor, incoming tuples from outer and inner relations are stored into *TupleTableSlot* arrays. These copies of the tuples are required as PostgreSQL may not have the content of the tuple at the same pointer location when the tuple is sent for the final projection. This step is a platform-specific overhead that is required to produce an output. The outer relation (of size  $N$ ) is parsed first, followed by the inner relation (of size  $M$ ). If the inner join data is identical to the corresponding outer join data (self-join), we drop the inner join data and the data structure has size  $N$  instead of  $2N$ .

We illustrate in Figure 5 the data structure and the permutation array computation with an example for the self-join  $Q_p$ . The data structure is initialized with an index (*idx*) and a copy of the attributes of interest (*time* and *cost* for  $Q_p$ ). Next, the data is sorted for the first predicate (*time*) using the system function *qsort* with special comparators (as defined in Algorithm 1) to handle cases where two values for a predicate are equal. The result of the first sort is reported at the left-hand side of Figure 5. The last column (*pos*) is now filled with the ordering of the tuples according to this sorting. As a result, we create a new array to store the index values for the first predicate. We use this array to select the tuple IDs at the time of projecting tuples. The tuples are then ordered again according to the second predicate (*cost*), as reported in the right-hand side of Figure 5. After the second sorting, the new values in *pos* are the values for the permutation array, denoted by *perm*.

Finally, we create and traverse a bit-array  $B$  of size  $(N + M)$  ( $N$  in case of self-join) along with a *Bloom filter* bit-array, as discussed in Section 4.1. If the traversal finds a set bit, the corresponding tuples are sent for projection. Additional predicates (if any) are evaluated at this stage, and, if the conditions are satisfied, tuples are projected.

## 6.2 Spark SQL

Spark SQL [2] allows users to query structured data on top of Spark [22]. It stores the input data as a set of in-memory Resilient Distributed Datasets (RDD). Each RDD is parti-

| Dataset    | Number of rows | Size         |
|------------|----------------|--------------|
| Employees  | 10K – 500M     | 300KB – 17GB |
| Employees2 | 1B – 6B        | 34GB – 215GB |
| Events     | 10K – 500M     | 322KB – 14GB |
| Events2    | 1B – 6B        | 32GB – 202GB |
| MDC        | 24M            | 2.4GB        |
| Cloud      | 470M           | 28.8GB       |

Table 1: Size of the datasets

tioned into smaller cacheable blocks, where each block fits in the memory of a single machine. Spark SQL takes as input the datasets location(s) in HDFS and an SQL query, and outputs an RDD that contains the query result. The default join operation in Spark SQL is inner join. When passing a join query to Spark SQL, the optimizer searches for equality join predicates that can be used to evaluate the inner join operator as a hash-based physical join operator. If there are no equality join predicates, the optimizer translates the inner join physically to a Cartesian product followed by a selection predicate.

We implemented the distributed version of IEJOIN as a new Spark SQL physical join operator. To make the optimizer aware of the new operator, we added a new rule to recognize inequality conditions. The rule uses the first two inequality conditions for the distributed IEJOIN physical operator. In case of additional inequality join conditions, it evaluates them as a post selection operation on the output of the first two join conditions. The distributed operator utilizes Spark RDD operators to process the algorithm in distributed fashion. As a result, the distributed IEJOIN operator depends on Spark’s memory management to store the user’s input relation. If the result does not fit in the memory of a single machine, we temporarily store the result into HDFS. After all IEJOIN instances finish writing into HDFS, the distributed operator passes the HDFS file pointer to Spark, which constructs a new RDD of the result and passes it to Spark SQL.

## 7. EXPERIMENTAL STUDY

In this section, we evaluate IEJOIN with both real and synthetic datasets on a set of inequality queries (Section 7.1). We study the effect of sorting and caching (Section 7.2). We then compare IEJOIN with existing systems on both a centralized (Section 7.3) and a distributed environment (Section 7.4).

### 7.1 Datasets, Queries, and Algorithms

**Datasets.** We used both synthetic and real-world data (summarized in Table 1) to evaluate our algorithms.

(1) **EMPLOYEES.** A dataset that contains employees’ salary and tax information [3] with eight attributes: *state*, *married*, *dependents*, *salary*, *tax*, and three others for notes. The relation has been populated with real-life data: tax rates, income brackets, and exemptions for each state in the USA have been manually collected to generate synthetic tax records. We used the following self-join query to identify anomalies [7]:

```

 $Q_1$  : SELECT r.id, s.id
      FROM Employees r, Employees s
      WHERE r.salary < s.salary AND r.tax > s.tax;

```

The above query returns a set of employee pairs, where one employee earns higher salary than the other but pays

less tax. To make sure that we generate output for  $Q_1$ , we selected 10% random rows and increased their tax values. Employees2 is a group of larger input datasets with up to 6 Billion records, but with only 0.001% random changes to tax values. The higher selectivity is used to test the distributed algorithm on large input files.

(2) EVENTS. A synthetic dataset that contains start and end time information for a set of independent events. Each event contains the name of the event, event ID, number of attending people, and the sponsor ID. We used this dataset with a self-join query that collects pairs of overlapping events:

```
Q2 : SELECT r.id, s.id
      FROM Events r, Events s
      WHERE r.start ≤ s.end AND r.end ≥ s.start
      AND r.id ≠ s.id;
```

Again, to make sure we generate output for  $Q_2$ , we selected 10% random events and extended their end values. We also generate Events2 as larger datasets with up to 6 Billion records, but with 0.001% extended random events.

(3) MOBILE DATA CHALLENGE (MDC). This is a 50GB real dataset [17] that contains behavioral data of nearly 200 individuals collected by Nokia Research (<https://www.idiap.ch/dataset/mdc>). The dataset contains physical locations, social interactions, and phone logs of the participating individuals. We used two relations, Shops and Persons, from the dataset with the following join query that, for all shops, looks for all persons that are close to a shop up to a distance  $c$  along the x-axis ( $xloc$ ) and the y-axis ( $yloc$ ):

```
Q3 : SELECT s.name, p.name
      FROM Shops s, Persons p
      WHERE s.xloc - c < p.xloc AND s.xloc + c > p.xloc
      AND s.yloc - c < p.yloc AND s.yloc + c > p.yloc;
```

(4) CLOUD [19]. A real dataset that contains cloud reports from 1951 to 2009, through land and ship stations (<ftp://cdiac.ornl.gov/pub3/ndp026c/>). We used a self-join query  $Q_4$ , similar to  $Q_3$ , to compute for every station all stations within a distance  $c = 10$ . Since the runtime for  $Q_3$  and  $Q_4$  is dominated by the output size, we mostly used them for scalability analysis in the distributed case.

**Centralized Systems.** We evaluated the following centralized systems in our experiments:

(1) PG-IEJOIN. We implemented IEJOIN inside PostgreSQL v9.4, as discussed in Section 6.1. We compare it against the baseline systems below.

(2) PG-ORIGINAL. We use PostgreSQL v9.4 as a baseline since it is the most widely used open source DBMS. We ran automatic configuration tuning with *pgtune* [20] to maximize the benefit from large main memory.

(3) PG-BTREE & PG-GiST. For optimization purposes, we use indices for  $Q_1$  and  $Q_2$  with two alternative approaches: a B-tree index and GiST. For PG-BTREE, we define a B-tree index for each attribute in a query. For PG-GiST, we use the GiST access method built inside PostgreSQL, which considers arbitrary indexing schemes and automatically selects the best technique for the input relation. To use GiST, we had to rewrite the query and convert the attributes, such as salary and tax in  $Q_1$ , into a single geometric point data type SalTax, as shown in  $Q_{1i}$ . Similarly for  $Q_2$ , we converted start and end attributes into a single range data type<sup>2</sup> StartEnd, as shown in  $Q_{2i}$ .

<sup>2</sup>[www.postgresql.org/docs/9.3/static/functions-range.html](http://www.postgresql.org/docs/9.3/static/functions-range.html)

```
Q1i : SELECT r.id, s.id
       FROM Employees r, Employees s
       WHERE r.SalTax >^ s.SalTax
       AND r.SalTax >> s.SalTax;
```

```
Q2i : SELECT r.id, s.id
       FROM Events r, Events s
       WHERE r.StartEnd && s.StartEnd AND r.id ≠ s.id;
```

In the rewriting of the above queries in PG-GiST, operator “>^” corresponds to “*is above?*”, operator “>>” means “*is strictly right of?*”, and operator “&&” indicates “*overlap?*”. For geometric and range type, GiST uses a Bitmap index to optimize its data access with large datasets.

(4) MONETDB. We used MonetDB Database Server Toolkit v1.1 (Oct2014-SP2), which is an open-source column-oriented database, in a disk partition of size 669GB.

(5) DBMS-X. We used a leading commercial centralized relational database.

**Single node experimental setup.** For the centralized evaluation, we used a Dell Precision T7500 equipped with two 64-bit quad-core Intel Xeon X5550 (8 physical cores and 16 CPU threads) and 58GB RAM.

**Distributed systems.** For these experiments, we used the following systems:

(1) SPARK SQL-IEJOIN. We implemented IEJOIN inside Spark SQL v1.0.2 (<https://spark.apache.org/sql/>), as detailed in Section 6.2. We evaluated the performance of our techniques against the baseline systems below.

(2) SPARK SQL & SPARK SQL-SM. Spark SQL is the default implementation in Spark SQL. Spark SQL-SM is an optimized version based on distributed sort-merge join. It contains three phases: *partitioning*, *sorting*, and *joining*. Partitioning selects a join attribute to distribute the data based on some statistics, *e.g.*, cardinality estimation. Sorting sorts each partition into many sorted lists, each list corresponds to an inequality condition. Finally, we apply a distributed sort merge join over the sorted lists to produce results. We also improve the above method by pruning the non-overlapping partitions to be joined.

(3) DPG-BTREE & DPG-GiST. We use a commercial version of PostgreSQL with distributed query processing. This allows us to compare SPARK SQL-IEJOIN to a distributed version of PG-BTREE and PG-GiST.

**Multi-node experimental setup.** We use a compute cluster of 17 Shuttle SH55J2 machines (1 master with 16 workers) equipped with Intel i5 processors with 16GB RAM, and connected to a high-end Gigabit switch.

## 7.2 Parameters Setting

We show the effect of the two optimizations (Section 4), as well as the effect of global sorting (Section 5).

**Bloom filter.** We run query  $Q_2$  on 10M tuples to show the performance gain of using a Bloom filter. Results are shown in Table 2. Note that the chunk size is an optimization parameter that is machine specific. For this experiment, L1 cache was 256KB. Intuitively, the larger the chunk size the better. However, a very large chunk size defeats the purpose of using Bloom filters to reduce the bit-array scanning overhead. The experiment shows that the performance gain is 3X between 256 bits and 1,024 bits and 1.5X between

|             |        |      |     |      |      |       |
|-------------|--------|------|-----|------|------|-------|
| Chunk (bit) | 1      | 64   | 256 | 1024 | 4096 | 16384 |
| Time (sec)  | >1 day | 1623 | 896 | 296  | 158  | 232   |

Table 2: Bloom filters on 10m rows (Events data)

| Parameter (M/sec)           | IEJoin (union) | IEJoin         |
|-----------------------------|----------------|----------------|
| cache-references            | 6.5            | 8.4            |
| cache-references-misses     | 3.9            | 4.8            |
| L1-dcache-loads             | <b>459.9</b>   | <b>1,240.6</b> |
| L1-dcache-load-misses       | 8.7            | 10.9           |
| L1-dcache-stores            | <b>186.8</b>   | <b>567.5</b>   |
| L1-dcache-store-misses      | 1.9            | 1.9            |
| L1-dcache-prefetches        | 4.9            | 7.0            |
| L1-dcache-prefetches-misses | 2.2            | 2.7            |
| LLC-loads                   | 5.1            | 6.6            |
| LLC-load-misses             | 2.9            | 3.7            |
| LLC-stores                  | 3.8            | 3.7            |
| LLC-store-misses            | 1.1            | 1.2            |
| LLC-prefetches              | 3.1            | 4.1            |
| LLC-prefetch-misses         | 2.2            | 2.9            |
| dTLB-loads                  | <b>544.4</b>   | <b>1,527.2</b> |
| dTLB-load-misses            | 0.9            | 1.6            |
| dTLB-stores                 | <b>212.7</b>   | <b>592.6</b>   |
| dTLB-store-misses           | 0.1            | 0.1            |
| <b>Total time (sec)</b>     | <b>125</b>     | <b>325</b>     |

Table 3: Cache statistics on 10m rows (Events data)

1,024 bits and 4,096 bits. Larger chunk sizes show worse performance, as shown with chunk size of 16,384 bits.

**Union arrays.** To show the performance gain due to the union optimization, we run IEJOIN, with and without the union array, using 10M tuples from the Events dataset. We collect the following statistics, shown in Table 3: (i) L1 data caches (dcache), (ii) last level cache (LLC), and (iii) data translation lookaside buffer (dTLB). Note that the optimized algorithm with union arrays is 2.6 times faster than the original one. The performance gain in the optimized version is due to the lower number of cache loads and stores (L1-dcache-loads, L1-dcache-stores, dTLB-loads and TLB-stores), which is 2.7 to 3 times lower than the original algorithm. This behavior is expected since the optimized IEJOIN has fewer arrays compared to the original version.

**Global sorting on distributed IEJOIN.** As presented in Algorithm 3, the distributed version of our algorithm applies global sorting at the pre-processing phase (lines 6-7). In this experiment, we compare the performance of  $Q_1$  and  $Q_2$  with and without global sorting. Figure 6 shows the results of this experiment. At a first glance, one may think that the global sorting affects the performance of distributed IEJOIN as it requires shuffling data through the network. However, global sorting improves the performance of the distributed algorithm by 2.4 to 2.9 times. This is because global sorting allows us to filter out block-pair combinations that do not generate results. We also observe that the time required by the IEJOIN process itself is one order of magnitude faster when using global sorting.

We further breakdown the runtime of  $Q_1$  and  $Q_2$  in Table 4 to measure the impact of global sorting. Here, the pre-processing time includes the data loading from HDFS, global sorting, partitioning, and block-pairs materialization. Even though global sorting increases the overhead of the pre-processing phase, we observe that the runtime for this phase is at least 30% less compared with the case without global




Figure 6: IEJOIN using 100m rows on 6 workers

| Query                  | Pre-process | IEJOIN     | Post-process | Total |
|------------------------|-------------|------------|--------------|-------|
| With global sorting    |             |            |              |       |
| $Q_1$                  | 632         | <b>162</b> | 519          | 1,313 |
| $Q_2$                  | 901         | <b>84</b>  | 391          | 1,376 |
| Without global sorting |             |            |              |       |
| $Q_1$                  | 1,025       | 1,714      | 426          | 3,165 |
| $Q_2$                  | 1,182       | 1,864      | 349          | 3,395 |

Table 4: Time breakdown (secs) of Figure 6

sorting due to the reduced network overhead from eliminating unnecessary block pairs. The results confirm the above observation: IEJOIN is one order of magnitude faster when pre-processing includes global sorting. This greatly reduces the network overhead and increases the memory locality in the block combinations that are passed to our algorithm.

Based on the above experiments, in the following tests we used 1,024 bits as the default chunk size, union arrays, and global sorting for distributed IEJOIN.

### 7.3 Single-node Experiments

In this set of experiments, we study the efficiency of IEJOIN on datasets that fit the main memory of a single compute node and compare its performance with alternative centralized systems.

**IEJOIN vs. baseline systems.** Figure 7 shows the results for queries  $Q_1$  and  $Q_2$  in a centralized environment, where the  $x$ -axis represents the input size in terms of the number of tuples, and the  $y$ -axis represents the corresponding running time in seconds. The figure reports that PG-IEJOIN outperforms all baseline systems by more than one order of magnitude for both queries and for every reported dataset input size. In particular, PG-IEJOIN is up to more than three (resp., two) orders of magnitude faster than PG-ORIGINAL and MONETDB (resp., DBMS-X). We can clearly see that the baseline systems cannot compete with PG-IEJOIN since they all use the classic Cartesian product followed by a selection predicate to perform queries with only inequality join conditions. In fact, this is the main reason why they cannot run for bigger datasets.

**IEJOIN vs. indexing.** We now consider two different variants of PostgreSQL, each using a different indexing technique (GIST and BTree), to better evaluate the efficiency of our algorithm with bigger datasets in a centralized environment. We run  $Q_1$  and  $Q_2$  on datasets with 10M and 50M records. Figure 8 presents the results. In both experiments, IEJOIN is more than one order of magnitude faster than




Figure 7: IEJOIN (centralized)




Figure 8: IEJOIN vs. BTree and GiST (centralized)




Figure 9:  $Q_1$  runtime for data that fits caches

PG-GiST. In fact, IEJOIN is more than three times faster than the GiST indexing time alone. We stopped PG-BTREE after 24 hours of runtime. Our algorithm performs better than these two baseline indices because it better utilizes the memory locality.

We observe that the memory consumption for MonetDB increases exponentially with the input size. For example, MONETDB uses 419GB for an input dataset with only 200K records. In contrast to MONETDB, IEJOIN makes better use of the memory. Table 5 shows that IEJOIN uses around 150MB for  $Q_1$  (or less for  $Q_2$ ) for an input dataset of 200K records (MONETDB requires two orders of magnitude more memory). Note that in Table 5, we report the overall memory used by sorted attribute arrays, permutation arrays, and the bit-array. Moreover, although IEJOIN requires only 9.3GB of memory for an input dataset of 10M records, it runs to completion in less than one hour (3,128 seconds) for a dataset producing more than 7 billion output records.

We further analyze the breakdown time of IEJOIN on the 50M rows datasets, as shown in Table 6. The table shows that, by excluding the time required to load the dataset into memory, scanning the bit-array takes only 40% of the overall execution time where the rest is mainly for sorting. This shows the high efficiency of our algorithm.

**IEJOIN vs. cache-efficient Cartesian product.** We now push further our evaluation to better highlight the memory locality efficiency of IEJOIN. We compare its performance with both naive and cache-efficient Cartesian product joins for  $Q_1$  on datasets that fit the L1 cache (256 KB), L2 cache (1 MB), and L3 cache (8 MB) of the Intel Xeon processor. We used 10K rows for L1 cache, 40K rows for L2 cache, and

| Query | Input      | Output    | Time(secs)      | Mem(GB)    |
|-------|------------|-----------|-----------------|------------|
| $Q_1$ | 100K       | 9K        | 0.30            | 0.1        |
| $Q_1$ | 200K       | 23K       | 0.28            | <b>0.2</b> |
| $Q_1$ | 350K       | 68K       | 1.12            | 0.3        |
| $Q_1$ | 10M        | 3M        | 67.5            | 7.6        |
| $Q_2$ | 100K       | 0.2K      | 0.14            | 0.4        |
| $Q_2$ | 200K       | 0.8K      | 0.28            | <b>0.8</b> |
| $Q_2$ | 1M         | 42K       | 11.51           | 1.3        |
| $Q_2$ | <b>10M</b> | <b>2M</b> | <b>92.53</b>    | <b>9.3</b> |
| $Q_3$ | 500k       | 154M      | 63.37           | 0.4        |
| $Q_3$ | 1.5M       | 1B        | 453.79          | 1.1        |
| $Q_3$ | 2M         | 2B        | 822.63          | 1.3        |
| $Q_3$ | 4M         | 7B        | <b>3,128.03</b> | 3.0        |

Table 5: Runtime and memory usage (PG-IEJOIN)

| Query | Data reading | Data sorting | Bitarray scanning | Total time (secs) |
|-------|--------------|--------------|-------------------|-------------------|
| $Q_1$ | 158          | 240          | 165               | 563               |
| $Q_2$ | 319          | 332          | 215               | 866               |

Table 6: Time breakdown on 50M rows

350K rows for L3 cache. Figure 9 reports the results of this experiment. When the dataset fits in the L1 cache, IEJOIN is 1.8 times faster than the cache-efficient Cartesian product and 2.4 times faster than the naive Cartesian product. Furthermore, as we increase the dataset size of  $Q_1$  to be stored at the L2 and L3 caches, we see that IEJOIN becomes one and two orders of magnitude faster than the Cartesian product, respectively. This is because of the delays of L2 and L3 caches and the complexity of the Cartesian product.

**Single-node summary.** IEJOIN outperforms existing baselines by at least an order of magnitude for two main reasons: it avoids the use of the expensive Cartesian product and it nicely exploits memory locality by using memory-contiguous data structures with a small footprint. In other words, our algorithm avoids as much as possible going to memory to fully exploit the CPU speed.

## 7.4 Multi-node Experiments

We now evaluate our proposal in a distributed environment and using larger datasets.

**Distributed IEJOIN vs. baseline systems.** It is worth noting that we had to run these experiments on a cluster of 6 compute nodes only due to the limit imposed by the free version of the distributed PostgreSQL system. Additionally, in these experiments, we stopped the execution of any system that exceeds 24 hours. Figure 10 shows the results of all distributed systems we consider for queries  $Q_1$  and  $Q_2$ . This figure again shows that our algorithm significantly outperforms all baseline systems. It is at least one order of magnitude faster than all other systems. In particular, we observe that only DPG-GiST could terminate before 24 hours for  $Q_2$ . In such a case, IEJOIN is twice faster than the time required to run GiST indexing alone. These results show the high superiority of our algorithm over all baseline systems also in a distributed environment.

**Scaling input size.** We further push the evaluation of the efficiency in a distributed environment with bigger input datasets: from 100M to 500M records with large results size (Employees & Events), and from 1B to 6B records with smaller results size (Employees2 & Events2). As we now consider IEJOIN only, we run this experiment on our




Figure 10: Distributed IEJOIN (100M rows, 6 nodes)




Figure 11: Distributed IEJOIN, 6B rows, 16 nodes

entire 16 compute nodes cluster. Figure 11 shows the runtime results as well as the output sizes. We observe that IEJOIN gracefully scales along with input dataset size in both scenarios. We also observe in Figure 11(a) that, when the output size is large, the runtime increases accordingly as it is dominated by the materialization of the results. In Figure 11(a),  $Q_1$  is slower than  $Q_2$  as its output is three orders of magnitude larger. When the output size is relatively small, both  $Q_1$  and  $Q_2$  scale well with increasing input size (see Figure 11(b)). Below, we study in more details the impact of the output size on performance.

**Scaling dataset output size.** We test our system’s scalability in terms of the output size using two real datasets (MDC and Cloud) as shown in Figure 12. To have a full control on this experiment, we explicitly limit the output size from 4.3M to 430M for MDC, and 20.8M to 2050M for Cloud. The figures clearly show that the output size affects the runtime; the larger the output size, the longer it will take to produce them. They also show that materializing a large number of results is costly. Take Figure 12(a) for example, when the output size is small (*i.e.*, 4.3M), materializing them or not will have similar performance. However, when the output size is big (*i.e.*, 430M), materializing the results takes almost 2/3 of the entire running time, as expected.

In order to run another set of experiments with much bigger output size, we created two variants of  $Q_3$  for MDC data by keeping only two predicates over four (less selectivity). Figure 13 shows the scalability results of these experiments with no materialization of results. For  $Q_{3a}$ , IEJOIN produced more than 1,000B records in less than 3,000 seconds. For  $Q_{3b}$ , we stopped the execution after 2 hours with more than 5,000B tuples in the temporary result. This demonstrates the good scalability of our solution.

**Multi-node summary.** Similarly to the centralized environment, IEJOIN outperforms existing baselines by at least one order of magnitude. In particular, we observe that it gracefully scales in terms of input (up to 6B input tuples). This is because our algorithm first performs a join at the metadata level, which is orders of magnitude smaller than




Figure 12: Runtime of IEJOIN ( $c = 10$ )




Figure 13: Without result materialization ( $c = 5, 10$ )

the actual data. As a result, it shuffles only those data partitions that can potentially produce join results. Typically, IEJOIN processes a small number of data partitions.

## 8. RELATED WORK

Several cases of inequality joins have been studied; these include band joins, interval joins and, more generally, spatial joins. IEJOIN is specially optimized for joins with at least two predicates in  $\{<, >, \leq, \geq\}$ .

A band join [9] of two relations  $R$  and  $S$  has a join predicate that requires the join attribute of  $S$  to be within some range of the join attribute of  $R$ . The join condition is expressed as  $R.A - c_1 \leq S.B \leq R.A + c_2$ , where  $c_1$  and  $c_2$  are constants. The band-join algorithm [9] partitions the data from relations  $R$  and  $S$  into partitions  $R_i$  and  $S_i$  respectively, such that for every tuple  $r \in R$ , all tuples of  $S$  that join with  $r$  appear in  $S_i$ . It assumes that  $R_i$  fits into memory. Contrary to IEJOIN, the band join is limited to a single inequality condition type, involving one single attribute from each column. IEJOIN works for any inequality conditions and attributes from the two relations. While band join queries can be processed using our algorithm, not all IEJOIN queries can run with a band join algorithm.

Interval joins are frequently used in temporal and spatial data. The work in [11] proposes the use of the relational Interval Tree to optimize joining interval data. Each interval intersection is represented by two inequality conditions, where the lower and upper times of any two tuples are compared to check for overlaps. This work optimizes non-equi joins on interval intersections, where they represent each interval as a multi-value attribute. Compared to our work, they only focus on improving interval intersection queries and cannot process general purpose inequality joins.

Spatial indexing is widely used in several applications with multidimensional datasets, such as Bitmap indices [5, 18], R-trees [15] and space filling curves [4]. In PostgreSQL, support for spatial indexing algorithms is provided through a single interface known as Generalized index Search Tree [16] (GiST). From this collection of indices, Bitmap index is

the most suitable technique to optimize multiple attribute queries that can be represented as 2-dimensional data. Examples of 2-dimensional datasets are intervals (*e.g.*, start and end time in  $Q_2$ ), GPS coordinates (*e.g.*,  $Q_3$ ), and any two numerical attributes that represent a point in an XY plot (*e.g.*, salary and tax in  $Q_1$ ). The main disadvantage of the Bitmap index is that it requires large memory footprint to store all unique values of the composite attributes [6,21]. Bitmap index is a natural baseline for our algorithm, but, unlike IEJOIN, it does not perform well with high cardinality attributes, as demonstrated in Figure 6. R-trees, on the other hand, are not suitable because an inequality join corresponds to window queries that are unbounded from two sides, and consequently intersect with a large number of internal nodes of the R-tree, generating unnecessary disk accesses.

Several proposals have been made to speed-up join executions in MapReduce (*e.g.*, [10]). However, they focus on joins with equalities and hence are forced to perform massive data shuffling to be able to compare each tuple with each other. There have been few attempts to devise efficient implementation of theta-join in MapReduce [19, 23]. [19] focuses on pair-wise theta-join queries. It partitions the Cartesian product output space with rectangular regions of bounded sizes. Each partition is mapped to one reducer. The proposed partitioning guarantees correctness and workload balance among the reducers while minimizing the overall response time. [23] further extends [19] to solve multi-way theta-joins. It proposes an I/O and network cost-aware model for MapReduce jobs to estimate the minimum time execution costs for all possible decomposition plans for a given query, and selects the best plan given a limited number of computing units and a pool of possible jobs. We propose a new algorithm to do the actual inequality join based on sorting, permutation arrays, and bit arrays. The focus in these previous proposals is on efficiently partitioning the output space and on providing a cost model for selecting the best combination of MapReduce jobs to minimize response time. In both proposals, the join is performed with existing algorithms, which in the case of inequality conditions corresponds to Cartesian product followed by a selection.

## 9. ...THE END

To help Bob with his inequality join, we proposed two algorithms for the efficient evaluation of joins defined with inequality conditions. Our approach relies on auxiliary data structures that enable efficient computations while requiring small memory footprint. We presented a novel algorithm that exploits data locality in the data structures to achieve orders of magnitude speedup in the computation, and an optimized version of the same for self-joins. For both algorithms, we discussed extensions and optimizations. Finally, we presented both centralized and distributed versions of the algorithms, which are implemented on top of PostgreSQL and Spark SQL, respectively. Through extensive experiments over both synthetic and real data, we demonstrated that our solution is superior to baseline systems: it is 1.5 to 3 orders of magnitude faster than commercial and open-source centralized databases; and is at least 2 orders of magnitude faster than the original Spark SQL. More interestingly, we experimentally showed that, although theoretically the algorithm does not break the quadratic time bound, its performance is proportional to the size of the out-

put. Future directions include the selectivity estimation for inequality join conditions to achieve better query optimization.

## 10. REFERENCES

- [1] S. Abiteboul, R. Hull, and V. Vianu. *Foundations of Databases*. Addison-Wesley, 1995.
- [2] M. Armbrust, R. S. Xin, C. Lian, Y. Huai, D. Liu, J. K. Bradley, X. Meng, T. Kaftan, M. J. Franklin, A. Ghodsi, and M. Zaharia. Spark SQL: Relational Data Processing in Spark. In *SIGMOD*, 2015.
- [3] P. Bohannon, W. Fan, F. Geerts, X. Jia, and A. Kementsietsidis. Conditional functional dependencies for data cleaning. In *ICDE*, 2007.
- [4] C. Böhm, G. Klump, and H.-P. Kriegel. XZ-Ordering: A Space-Filling Curve for Objects with Spatial Extension. In *SSD*, 1999.
- [5] C.-Y. Chan and Y. E. Ioannidis. Bitmap Index Design and Evaluation. In *SIGMOD*, 1998.
- [6] C.-Y. Chan and Y. E. Ioannidis. An Efficient Bitmap Encoding Scheme for Selection Queries. In *SIGMOD*, 1999.
- [7] X. Chu, I. F. Ilyas, and P. Papotti. Holistic data cleaning: Putting violations into context. In *ICDE*, 2013.
- [8] J. Dean and S. Ghemawat. MapReduce: Simplified Data Processing on Large Clusters. *Communications of the ACM*, 51(1):107–113, 2008.
- [9] D. J. DeWitt, J. F. Naughton, and D. A. Schneider. An Evaluation of Non-Equijoin Algorithms. In *VLDB*, 1991.
- [10] J. Dittrich, J. Quiané-Ruiz, A. Jindal, Y. Kargin, V. Setty, and J. Schad. Hadoop++: Making a yellow elephant run like a cheetah (without it even noticing). *PVLDB*, 3(1), 2010.
- [11] J. Enderle, M. Hampel, and T. Seidl. Joining Interval Data in Relational Databases. In *SIGMOD*, 2004.
- [12] D. Gao, C. S. Jensen, R. T. Snodgrass, and M. D. Soo. Join Operations in Temporal Databases. *VLDB J.*, 14(1):2–29, 2005.
- [13] H. Garcia-Molina, J. D. Ullman, and J. Widom. *Database systems*. Pearson Education, 2009.
- [14] N. K. Govindaraju, J. Gray, R. Kumar, and D. Manocha. Gpuserasort: high performance graphics co-processor sorting for large database management. In *SIGMOD*, 2006.
- [15] A. Guttman. R-trees: A Dynamic Index Structure for Spatial Searching. In *SIGMOD*, 1984.
- [16] J. M. Hellerstein, J. F. Naughton, and A. Pfeffer. Generalized Search Trees for Database Systems. In *VLDB*, 1995.
- [17] J. K. Laurila, D. Gatica-Perez, I. Aad, B. J., O. Bornet, T.-M.-T. Do, O. Dousse, J. Eberle, and M. Miettinen. The Mobile Data Challenge: Big Data for Mobile Computing Research. In *Pervasive Computing*, 2012.
- [18] T. L. Lopes Siqueira, R. R. Ciferri, V. C. Times, and C. D. de Aguiar Ciferri. A Spatial Bitmap-based Index for Geographical Data Warehouses. In *SAC*, 2009.
- [19] A. Okcan and M. Riedewald. Processing Theta-Joins using MapReduce. In *SIGMOD*, 2011.
- [20] G. Smith. *PostgreSQL 9.0 High Performance: Accelerate your PostgreSQL System and Avoid the Common Pitfalls that Can Slow it Down*. Packt Publishing, 2010.
- [21] K. Stockinger and K. Wu. Bitmap indices for data warehouses. *Data Warehouses and OLAP: Concepts, Architectures and Solutions*, 5:157–178, 2007.
- [22] M. Zaharia, M. Chowdhury, M. J. Franklin, S. Shenker, and I. Stoica. Spark: Cluster computing with working sets. In *HotCloud*, 2010.
- [23] X. Zhang, L. Chen, and M. Wang. Efficient Multi-way Theta-Join Processing Using MapReduce. *PVLDB*, 5(11), 2012.

## Appendix: Responses for Paper 1864

We would like to thank the reviewers for their thorough reviews and insightful comments. We have addressed all comments from reviewers and the meta-reviewer. In particular, we have added a new section (Section 6) to describe implementation details of our algorithms in PostgreSQL and Spark SQL. Below please find our detailed responses.

### – Responses to the Comments of Reviewer 1.

*R1W1. It is unclear how the proposed algorithms can be used to handle joins over more than two attributes.*

[A] When there are more than two attributes, we treat it as the problem of join order selection. Please see a discussion at the end of Section 3.1. When implementing these new operators in a full-fledged DBMS, it typically requires providing a cost function for the new operator to let the optimizer pick the best estimated join order. We added more implementation details in Section 6 to clarify this point.

*R1W2. It is unclear how to get the optimized partition for bit-array.*

[A] Deciding the optimal block size depends on several factors related to the underlying hardware, operating system, and the characteristics of the dataset. Doing automatic calibration to collect the above parameters and mathematically formulating this problem are orthogonal to our work in this paper. We empirically found that a bit-array partition of 1KB works well in practice for most queries and datasets. We have clarified this point in Section 7.

*R1W3. The experimental data sizes are bit small.*

[A] We have worked on the distributed IEJOIN experiments to better clarify the effect of output size of the joins. We have also added a new experiment in Figure 11(b) with up to 6 billion rows for both  $Q_1$  and  $Q_2$  (215 GB on disk for  $Q_1$  and 202 GB on disk for  $Q_2$ ). Note that IEJOIN is able to find resulting tuple ids for a large input dataset with a very large output, but Spark failed during the result materialization, since the number of results to materialize exceeded 40B rows, which is out of the capability of Spark for the given cluster setting. This confirms a well-known issue of Spark; it may crash when there is a huge output.

### – Responses to the Comments of Reviewer 2.

*R2W1. Very little information about implementation.*

*R2W2. No description of the integration into a runtime system (even though Postgres and SparkSQL were used in the experiments).*

*R2W3. Integration into a query optimizer not considered.*

*R2D2. Section 4. This is a section about optimization, but it only deals with individual runtime optimizations. How is the new operator integrated into the query optimizer? How was that done for PostgreSQL?*

*R2D4. Section 5. The description is very abstract and does not explain how this was integrated into SparkSQL.*

[A] We have added a new section (Section 6) to address the implementation details in PostgreSQL and Spark SQL. With

respect to PostgreSQL, we describe how we integrated our algorithms in each stage of query processing: parsing, planning, and execution. In the parsing stage, we have added functions to verify if a join predicate can be handled by IEJOIN and to eventually add it to the parse tree. In the planning stage, we have implemented a cost function (leveraging existing PostgreSQL functions) to estimate the cost of executing an inequality operator using our algorithm. It is then up to the PostgreSQL query optimizer to invoke this cost function to estimate the cost and to decide the correct join order. In the execution stage, we have implemented our operator and we now describe the data structures with examples. A similar discussion has been added also for Spark SQL.

*R2W4. Experiments do not provide a lot of insight.*

[A] We have further elaborated on our experimental results to give more insights. In addition, we have added summaries at the end of Section 7.3 and Section 7.4 to highlight our experimental findings.

*R2D1. Section 3. There seem to be a number of interesting design/implementation questions (e.g. memory management when getting the array of all values for a column of a table or computing the permutation arrays) that need to be addressed when implementing the algorithm in a system like PostgreSQL. It would be interesting to understand how those were addressed when the algorithm was implemented.*

[A] We have added a new section (Section 6) to address the implementation details in PostgreSQL and Spark SQL, including the memory management for table columns and the construction of the permutation arrays, as suggested by the reviewer.

*R2D3. Section 4. It would be good to have the evaluation of both techniques in the evaluation section - especially as content of that section (e.g.  $Q_2$ ) is required here.*

[A] We have moved the evaluation piece to the experimental section. See the new subsection on Parameter Setting (Section 7.2). For coherency, we have also merged the original last subsection of Section 7, *i.e.*, IEJOIN in depth, with this new subsection.

*R2D5. Section 6.1.  $Q_1$  and  $Q_2$  seem very similar with similar results - why are both needed?*

[A] The inequality attributes in  $Q_1$  are independent, each condition forms a single open interval. However, the inequality attributes in  $Q_2$  are dependent, together they form a single closed interval. Even though  $Q_1$  and  $Q_2$  are similar to the IEJOIN algorithm, they are fundamentally different for the systems we compared with. In other words,  $Q_1$  and  $Q_2$  require different set of optimizations to improve the response time for DBMSs. Figure 11 shows a clear difference between  $Q_1$  and  $Q_2$  in the size of the output and in the runtime results.

*R2D6. Section 6.1. A significant number of systems is used in the evaluation, but it is not clear what value each system adds. It seems that the results for MonetDB and DBMS-X are quite similar to PG-Original.*

[A] Our goal is to be as thorough in our experimental study as possible, based on the fact that each system has its unique criteria. MonetDB is a column-store database with incremental auto indexing. DBMS-X is a well-known row-store commercial database with fast query processing. Each DBMS has its own query optimization techniques. The message that the paper is conveying is that even with the most advanced DBMSs and their *state-of-the-art* optimizations, none is able to efficiently process even a small dataset with inequality join conditions.

*R2D7. Section 6.1. It is not clear what insight the comparison of SparkSQL-IEJoin with the DPG variants provides as there are both architectural and algorithmic differences and there no analysis of their individual impacts.*

[A] The distributed DPG uses distributed GiST index to improve the runtime of the inequality join. It is true that they are both architecturally and algorithmically different, but it is known that this DPG variant is faster than Spark SQL. We implemented the IEJOIN algorithm in Spark SQL because DPG is a commercial product with closed source code. The IEJOIN implemented in Spark SQL is able to process the inequality join more efficiently than DPG, which shows the superiority of the distributed IEJOIN algorithm.

*R2D8. Section 6.1. What is "SparkSQL-SM" exactly?*

[A] SparkSQL-SM represents a Spark-based sort merge join algorithm. More specifically, it contains three phases: *partitioning*, *sorting*, and *joining*. Partitioning selects a join attribute to distribute the data based on some statistics, such as cardinality estimation. Sorting sorts each partition into many sorting lists, with each list corresponding to an inequality condition. Finally, we apply a distributed sort merge join over the sorted lists to produce results. We also improve the above method by pruning the non-overlapping partitions to be joined. We have added a discussion about SparkSQL-SM in Section 7.

*R2D9. Section 6.2. How does the paragraph "IEJOIN vs. cache efficient cross product" relate to design/implementation alternatives that are described in sections 3-5. It would be helpful to have a clear correlation.*

[A] The experiment shows the role of the cache in our solution. In particular, even if the data fits in the cache, either L1, L2, or L3, the results show that our algorithm outperforms cross products. This demonstrates that IEJOIN is better at exploiting the memory locality of the data.

*R2D10. Section 6.4. Why were the options with and without global sorting not discussed in sec 5?*

[A] The IEJOIN always uses global sorting for the distributed setting. We now explain the intuition behind this design choice in Section 5.

*R2D11. Section 7. One could argue that the IEJoin is also a special-case join as it requires at least 2 inequality conditions and it does not allow for "!=".*

[A] Yes, IEJOIN is specially optimized for {"<", ">", "≤", "≥"} but not for ≠ conditions. However, several useful joins that have been studied in the literature can

be further optimized with our algorithm. We have further clarified this in the related work section.

*R2Rev. There is a big gap between the description of the algorithm and the experimental evaluation. A reader can only guess what's between the idea and the evaluation. Please describe how you've integrated the algorithm into Postgres and Spark to enable the readers to understand what is being evaluated. One option to make space for the additional description would be to reduce the number of evaluated systems and keep only those that are needed to demonstrate the benefits of the idea.*

[A] We have added a new section (Section 6) to address the integration details in both PostgreSQL and Spark SQL.

### – Responses to the Comments of Reviewer 3.

*R3W1. I feel like the initial explanation of how the algorithm works could be made clearer and easier to understand to a first-time reader of the paper, but unfortunately nothing specific came to mind. Mentioning this only because that was the roughest part of reading an otherwise very enjoyable paper.*

[A] The main purpose of Section 2 is to give an intuition about the main ideas behind our approach. We have further elaborated how the algorithm works in Section 2 to improve readability, and we now defer some detailed discussion to Section 3.

*R3W2. Didn't necessarily break the quadratic time bound for inputs that will generate very few/no results. The filtering is nice/effective, but is it good enough to bound the time by output cardinality rather than input cardinality? Would be great if the paper discussed the issue, even if the current approach doesn't achieve that lofty goal.*

[A] Although theoretically the algorithm does not break the quadratic time bound, the bright side is that we experimentally show that the runtime is closely relevant to the size of the output (see Figures 11 & 12). This has been further clarified at the end of the introduction.

*R3W3. A few non-native English-isms scattered through the paper. The most glaring was "Few observations make our solution appealing" (which tells the reader the solution is fairly unappealing) vs. "A few observations..." (which tells the reader that those observations are about to be enumerated). Nothing major, but should be easily fixable with a careful editing pass.*

*R3D1. Really not much to say here, except that the initial discussion about the East/West didn't seem to correspond with the Qt given alongside. Probably just a wording issue: "all customers from the West-Coast who rented a virtual machine for more hours than any customer from the East-Coast, but who paid less." At first I thought this was a universal quantification (find any customer in the West who did better than \*all\* customers in the East), but the query suggests existential quantification (find any customer in the West who did better than \*any\* customer in the East).*

[A] We have carefully reviewed the paper to address such issues.